

Figure 1





Figure 2



Intelligent Storage Nodes

Figure 3

The first of the same

14,

W.

W.

1

190

N





Figure 5

## DOSM File Look-up Table 610

File Id	IP Addr	Disk Id	
file1.MD5	10.3.100.1	3	
file2.MD5	10.3.098.1	1	
file3.MD5	10.3.050.1	6	
file4.MD5	10.3.100.1	2	
file5.MD5	10.3.098.1	1	
file6.MD5	10 3.050 1	8	






Figure 7

The state of the s

11,5

171




Figure 9




Figure 10

Figure 11

## **Customer Table**

Customer Name	Customer Reserved Fields	
Customer A	[Customer stores data]	1200
Customer B	[Customer stores data]	
Customer C	[Customer stores data]	
Customer D	[Customer stores data]	

## Folder Table

	Metadata	Folder Parent Id	Folder Id	Customer Id
1210	[Reserved]	-	2	3
Y	[Reserved]	2	100	3
	[Reserved]	2	251	3
	[Reserved]	251	166	3

## File Table

Customer Id	File Handle	Folder Id	Folder Parent Id	Metadata	
3	52.MD5	100	2	[Reserved]	1220
3	55.MD5	100	2	[Reserved]	Y
3	99.MD5	166	251	[Reserved]	
3	67.MD5	166	251	[Reserved]	

Figure 12

free free

į.





Figure 13B







Figure 15

The free free the contract of the first field

To the the test will the

Figure 16






Figure 18




Figure 19




Figure 20




Figure 21a




Figure 21b




Figure 22





Figure 23







Figure 25






Figure 27




Figure 28




Figure 30

